

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of

Atty Dkt. 4398-208

BREWER et al.

C# M#

Serial No. 10/035,199

3743

Filed: January 4, 2002

Examiner: Mital B. Patel

Date: February 15, 2006

Title: DETERMINATION OF MASK SEALING PRESSURE AND CORRECT MASK FIT



FW

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

RESPONSE/AMENDMENT/LETTER

This is a response/amendment/letter in the above-identified application and includes an attachment which is hereby incorporated by reference and the signature below serves as the signature to the attachment in the absence of any other signature thereon.

☐ **Correspondence Address Indication Form Attached.**

Fees are attached as calculated below:

Total effective claims after amendment 19 minus highest number
previously paid for 47 (at least 20) = 0 x \$50.00 \$0.00 (1202)/\$0.00 (2202) \$

Independent claims after amendment 4 minus highest number
previously paid for 8 (at least 3) = 0 x \$200.00 \$0.00 (1201)/\$0.00 (2201) \$

If proper multiple dependent claims now added for first time, (ignore improper); add
\$360.00 (1203)/\$180.00 (2203) \$

Petition is hereby made to extend the current due date so as to cover the filing date of this
paper and attachment(s)
One Month Extension \$120.00 (1251)/\$60.00 (2251)
Two Month Extensions \$450.00 (1252)/\$225.00 (2252)
Three Month Extensions \$1020.00 (1253)/\$510.00 (2253)
Four Month Extensions \$1590.00 (1254)/\$795.00 (2254)
Five Month Extensions \$2160.00 (1255)/\$1080.00 (2255) \$

Terminal disclaimer enclosed, add \$130.00 (1814)/\$65.00 (2814) \$

☐ Applicant claims "small entity" status. ☐ Statement filed herewith

Rule 56 Information Disclosure Statement Filing Fee \$180.00 (1806) \$

Assignment Recording Fee \$40.00 (8021) \$

Other: \$

TOTAL FEE ENCLOSED \$ 0.00

The Commissioner is hereby authorized to charge any deficiency, or credit any overpayment, in the fee(s) filed, or asserted to be filed, or which should have been filed herewith (or with any paper hereafter filed in this application by this firm) to our Account No. 14-1140. A duplicate copy of this sheet is attached.

901 North Glebe Road, 11th Floor
Arlington, Virginia 22203-1808
Telephone: (703) 816-4000
Facsimile: (703) 816-4100
PTB:jck

NIXON & VANDERHYE P.C.
By Atty: Paul T. Bowen, Reg. No. 38,009

Signature: _____

Paul T. Bowen



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of

BREWER et al.

Atty. Ref.: 4398-208; Confirmation No. 2505

Appl. No. 10/035,199

TC/A.U. 3743

Filed: January 4, 2002

Examiner: Mital B. Patel

For: DETERMINATION OF MASK FITTING PRESSURE AND CORRECT MASK FIT

* * * * *

February 15, 2006

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

AMENDMENT

In reply to the Official Action dated November 15, 2005, please amend the
above-identified application as follows: